

JOB NAME:
REFERENCE INVOICE #:



Closed Cabinet Base Model Pictured



Approved by the Associazione Pizzerie Italiane

CUSTOM FACADE: ☐ YES ☐ NO CUSTOM FACADE DOCUMENT #:

FEATURES

The Castelli Roma Superpizza/M One Chamber Oven is a hand-built electric pizza oven designed and manufactured in Rome, Italy. The oven features a baking chamber that measures 40.15" wide and 41.3" deep. In the standard model, the baking chamber measures 7" tall.

The chamber is heated by hand-built nickel chromium resistors in the floor and ceiling. Steel doors attached by a bottom hinge protect the chamber from exposure and provide insulation during operation. The oven exterior and interior is finished in 300 and 400 series stainless steel.

The oven chamber is managed independently by a unique set of electromechanical controls. Set the desired baking temperature via the electronic display.

The chamber vents to a connected chimney with a final exhaust connection on the oven roof. An integrated exhaust hood on the front of the oven collects any vapors released when opening the baking chamber door.

Custom voltages, steel façade patterns, and other information is available on www.fierogroup.com

CUSTOM EXTERIOR



Art Deco



Halftone



Black Leather



Smooth Black


* CHAMBER HEIGHTS


Create a unique look for your oven. Patterned steel and other color options are available upon request.


OVEN

OPENINGS









chamber or the 4.75" chamber.

FIERO GROUP 601 N Main St, Brewster, NY 10509 Email: info@fierogroup.com www.fierogroup.com

844-OVEN-INC (844-683-6462) Toll-free in USA (Hablamos Español, Falamos Português)

Listed to: UL 197, CAN/CSA C22.2 No. 109-M1981, & NSF-4 for Commercial Electric Cooking Appliances UL File # E486182



BAKING

SURFACE

1260 mm






DETAILED SPECS


WEIGHT: 1105 LBS

PLAN

ELEVATION


We make every effort to provide accurate information regarding manufacturer's reported dimension information. Please note that due to the artisan nature of the manufacturing process, from time to time, product sizing and ship weight may vary slightly.





FRONT

ELEVATION



VENTILATION REQUIREMENTS

Vent the Roma Superpizza/M oven in accordance with NFPA 96 and local code.

Chimney Connection: 4" ø

WARRANTY INFORMATION

1 year limited warranty on electrical and other components. See warranty document for details.

ELECTRICAL REQUIREMENTS

- 3-phase connection
- 208V (220-240V available via special order)
- 27.8A
- 2.5-10 Kw

OVEN PRODUCTION

ROMAN PIZZA CAPACITY: 2 EXTENDED SIZE PANS TEMPERATURE RANGE: 500°F - 750°F

DAILY PREHEAT TIME: 2 HOURS

CLEARANCES

RIGHT

To reduce the risk of fire, the appliance is to be installed in non-combustible surroundings only, with no combustible material within 18 inches of the sides, front, or rear of the appliance or within 40 inches above the appliance.

The appliance is to be mounted on floors of noncombustible construction with noncombustible flooring and surface finish and with no combustible material against the underside, or on noncombustible slabs or arches that have no combustible, material against the underside. Such construction shall in all cases extend not less than 12 inches beyond the equipment on all sides.

FIERO GROUP

601 N Main St, Brewster, NY 10509 Email: info@fierogroup.com www.fierogroup.com 844-OVEN-INC (844-683-6462) Toll-free in USA (Hablamos Español, Falamos Português) Listed to: UL 197, CAN/CSA C22.2 No. 109-M1981, & NSF-4 for Commercial Electric Cooking Appliances UL File # E486182

